

Eaton PV-15A14LF10F

Catalog Number: PV-15A14LF10F

Fuse-link, high speed, 15 A, DC 1500 V, 14 x 85 mm, gPV, IEC, UL, 10 mm fixing

General specifications

Product Name	Catalog Number
Eaton Bussmann series photovoltaic fuses	PV-15A14LF10F
	UPC
	051712377317
EAN	Product Length/Depth
5027590505536	85 mm
Product Height	Product Width
14 mm	14 mm
Product Weight	Compliances
12 g	CE Marked
	RoHS Compliant
Certifications	
IEC 60269	
UL Listed	
CSA Certified	

Type

Cylindrical with 10 mm fixings

Application

Photovoltaic systems

Amperage Rating

15 A

Accessories

CHPV15L85 fuse holder ,5960-07 and 5960-09 fuse clips

Breaking capacity

10 kA

With striker

No

Voltage type

DC

Utilization category

gPV (photovoltaic protection)

Release characteristic

Other

Fuse indicator

Non Indicating

Rated switching capacity

10 kA

Fuse size

14 x 85 mm

Current type

DC

Rated voltage DC

1500 V

Class

Class gPV

Watt losses

5.8 W

Construction type

Ceramic tube

Fuse shape

[Informativos de assistência técnica](#)

[Datasheet - PV-15A14LF10F](#)

Cylindrical

Pre arc (I2T)

14

Total I2T

160

Used with

Combiner boxes, inverters, PV wire harnesses

Color

White

Interrupt rating

10 kAIC

Construction size

14 x 85 mm

Material

Ceramic

Voltage rating

1500 Vdc

Fuse type

PV-A14LF10F

Fitted with:

With 10 mm fixings

Suitable for

CHPV15L85 Fuse holder

Rated switching capacity DC

10 kA